

03560.003440.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: Christopher R. Magee
NOBUHIRO YASUI ET AL.)	
	:	Art Unit: 2627
Appln. No.: 10/813,005)	
	:	Conf. No.: 5240
Filed: March 31, 2004)	
	:	
For: COBALT-PLATINUM OR IRON-)	
PLANTINUM MAGNETIC MATERIAL	:	
CONTAINING 1% TO 40% CU, NI OR B)	
	:	
U.S. Patent No.: 7,286,324 B2)	
	:	
Issued: October 23, 2007)	March 17, 2008

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION
UNDER RULE 322

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form, in duplicate, is enclosed.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Peter Saxon/

Peter Saxon

Attorney for Patentees

Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

Facsimile: (212) 218-2200

FCHS_WS 2044840v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,286,324 B2

DATED : October 23, 2007

INVENTOR(S) : NOBUHIRO YASUI ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE [54]:

Title, "IRON-PLANTINUM" should read --IRON-PLATINUM--.

COLUMN 1:

Line 1, "IRON-PLANTINUM" should read --IRON-PLATINUM--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,286,324 B2

No. of add'l. copies
@ 30¢ per page

